

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Grafen Professional Sanitary Silicone, Grafen Professional Universal Silicone

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Pointing and grouting materials such as glass, ceramics, aluminum. Designed for sealing exposed to water: edges of sinks, tubs, showers, shower stalls, sinks, kitchen countertops.

Uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:

Supplier:	Madejski Spółka Komandytowa
Street address:	Makuszyńskiego 28
Country/Postcode:	Poland, 31-752 Kraków
Telephone number:	+48 (12) 643 67 67
E-mail:	info@madejski.com.pl

1.4 Emergency telephone number:

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Mixture:

Classification according to Regulation (EC) No 1272/2008 (CLP)

The mixture does not meet the criteria for classification in accordance with the regulation EU 1272/2008 (CLP).

2.2 Label elements

Supplemental information on the label:

EUH208 Contains 4,5-Dichloro-2-Octyl- 2H-Isothiazol-3-One. May produce an allergic reaction.

Hazard pictograms:

Not applicable

Signal word:

Not applicable

Hazard statements:

Not applicable

Precautionary statements:

Not applicable

2.3 Other hazards

The mixture does not contain substances meeting the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation in a concentration $\geq 0.1\%$ w/w.

SECTION 3: Composition/information on ingredients

3.1 Substances: Not applicable.

3.2 Mixtures:

Name	Identifiers	[% weight]	Classification according to Regulation (EC) No 1278/2008 (CLP).
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	Index No: - EC No: 934-954-2 CAS No: - REACH Registration No: 01-2119826592-36-XXXX	>20-<30	Asp. Tox.1 H304

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 2 of 7

4,5-Dichloro-2-Octyl-2H-Isothiazol-3-One	Index No: 613-335-00-8 EC No: 264-843-8 CAS No: 64359-81-5 REACH Registration No:-	$\geq 0.012 - < 0.024$	Acute Tox.4 H302 Skin Corr.1C H314 Skin Sens.1A H317 Eye Dam.1 H318 Acute Tox.2 H330 STOT SE.3 H335 Aquatic Acute1 H400 (M=100) Aquatic Chronic1 H410 (M=100) Specific concentration limits: 0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0.025 ≤ C < 5) Skin Irrit. 2, H315 (0.025 ≤ C < 3) Eye Irrit. 2, H319 inhalation: ATE = 0.16 mg/L (dusts/mists) oral: ATE = 567 mg/kg bw (-)
---	---	------------------------	---

The Full Text for all H-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Following eye contact: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention if symptoms occur after washing.

Following inhalation: Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

Following skin contact: Immediately remove contaminated clothing. Wash the skin with soap and water. Contaminated clothing should be washed before re-use. Get medical attention promptly if symptoms occur and persists after washing.

Following ingestion: Never give anything by mouth to an unconscious person. Seek medical advice. Provide ventilation. Call a poison centre or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

If any symptoms persist seek medical advice and show the msds or label.

Notes for the doctor: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: foam, carbon dioxide, dry powder, water spray.

Unsuitable extinguishing media: do not use water in a jet.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition or combustion may liberate toxic fumes.

5.3 Advice for firefighters

Special Fire Fighting Procedures: Wear full protective clothing and self-contained breathing apparatus.

Protective equipment for fire-fighters: Keep containers cool by spraying with water. If possible, remove containers from the danger zone. Prevent from spreading or entering drains, ditches or rivers. Dispose of released and contained material in accordance with local regulations.

SECTION 6: Accidental release measures

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 3 of 7

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Removed from the danger area all persons not involved in the emergency. If necessary, order the evacuation. Avoid contact with skin, eyes. Avoid inhalation of vapours. Provide ventilation.

For emergency responders:

Wear protective clothing as described in Section 8.

6.2 Environmental precautions

Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (eg. sawdust, sand). Collect in a waste container. Dispose of waste according to the applicable local and national regulation. Ventilate the area with fresh air.

6.4 Reference to other sections

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures:

Use only in a well-ventilated area. Avoid breathing vapor or aerosol. Avoid contact with eyes, skin. When handling, use appropriate personal protective equipment (see Section 8). Keep away from heat. Do not smoke! When using do not eat or drink.

Advice on general occupational hygiene:

Ensure good ventilation / exhaustion at the workplace. When using do not eat, drink or smoke. Wash hand before and after work with product. Contaminated clothing should be washed before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks, sunlight, open flame and smoking.

7.3 Specific end use(s)

Sealant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

International Limits Values: Not applicable

DNEL, PNEC - No data available

8.2 Exposure controls

Appropriate engineering controls

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear approved chemical safety goggles where eye exposure is reasonably probable. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166.

Skin protection:

Hand protection: Use gloves. Gloves must be inspected prior to use.

The selected protective gloves have to satisfy the specifications of Directive 89/686 / EEC and EN 374.

Other: Wear protective clothing. Contaminated clothing should be washed before re-use.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a face

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 4 of 7

respirator. It is recommended to use respiratory equipment with filter.

Thermal hazards: Protection is not required; the product poses no thermal risk.

Environmental exposure controls

Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour. Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid (paste)
Colour	Clear
Odour	Acetic acid.
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	Insoluble in water.
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure	No data available
Density and/or relative density	0,96 g/cm ³ ±0,03
Relative vapour density	No data available
Particle characteristics	No data available

9.2 Other information:

No data available.

SECTION 10: Stability and Reactivity

10.1 Reactivity

Not reactive under normal conditions of storage and use.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are expected under normal conditions of storage and use.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

No data available

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 5 of 7

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

No data available for the mixture.

4,5-dichloro-2-octyl-2H-isothiazol-3-one (64359-81-5)

LD50 (oral) 567 mg/kg

LC50 (Inhalation) 0.16 mg/l

ATEmix- calculated:

Acute toxicity (oral) :>2000 mg/kg; not classified

Acute toxicity (dermal): >2000 mg/kg; not classified

Acute toxicity (inhalation) :>20 mg/kg; not classified

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met

11.2 Information on other hazards

No further relevant information available

SECTION 12: Ecological information

12.1 Toxicity

No data available for the mixture.

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Fish (Scophthalmus maximus)	LL50	> 1 028 mg/L	exposition time: 96h
-----------------------------	------	--------------	----------------------

Aquatic invertebrates (Acartia tonsa)	LL50	> 3 200 mg/L	exposition time: 48h
---------------------------------------	------	--------------	----------------------

Algae and bacteria (Skeletonema costatum)	EL50	> 10 000 mg/L	exposition time: 72d
---	------	---------------	----------------------

12.2 Persistence and degradability

No further relevant information available.

4,5-dichloro-2-octyl-2H-isothiazol-3-one (64359-81-5)

Persistence and degradability Biodegradable in the soil. Readily biodegradable in water.

12.3 Bioaccumulative potential

No further relevant information available.

4,5-dichloro-2-octyl-2H-isothiazol-3-one (64359-81-5)

Partition coefficient n-octanol/water (Log Pow) 3.59 (Literature study)

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013
	GRAFEN PROFESSIONAL SILICONE	Update date: 19.04.2022
		Version 3.2
		Page 6 of 7

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

The mixture does not contain substances meeting the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation in a concentration $\geq 0.1\%w/w$

12.6 Endocrine disrupting properties

No further relevant information available.

12.7 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

SECTION 14: Transport Information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1. UN number or ID number	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	NO	NO	NO	NO
14.6. Special precautions for user	Not applicable	Not applicable	Not applicable	Not applicable
14.7. Maritime transport in bulk according to IMO instruments	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

2014/955/EU: Commission Decision of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council Text with EEA relevance.

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 12.07.2013 Update date: 19.04.2022
	GRAFEN PROFESSIONAL SILICONE	Version 3.2 Page 7 of 7

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Classification according to Regulation (EC) No. 1272/2008

The mixture does not meet the criteria for classification in accordance with the regulation EU 1272/2008 (CLP).

Relevant H-statements (number and full text)

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Additional Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.

Update section: 1,3,9,11,12,14,16.